

**To:** Way, Steven[way.steven@epa.gov]  
**From:** Robinson, David  
**Sent:** Sun 9/13/2015 4:18:56 AM  
**Subject:** Re: Ehat Consulting - Engineering / Safety Evalu

OK. I'll see what I might be able to line up in the meantime.

*Sent from my Verizon Wireless 4G LTE DROID*

"Way, Steven" <way.steven@epa.gov> wrote:

Dave - new option needed. Rick no longer available.

We can talk Monday.

Steve

Sent from my iPhone

On Sep 11, 2015, at 4:02 PM, Robinson, David <[David.Robinson@WestonSolutions.com](mailto:David.Robinson@WestonSolutions.com)> wrote:

Steve:

We opened a PO for Rick EHAT for up to 80 hr of his time and we do not have any invoices from him yet. I don't have a feel for how much time he has put in to this point, but I believe there should be capacity left. I'll get in touch with him to see how much time he has incurred to date; Any sense of how much of his time might be needed for this current work? If we need to mod his PO to cover, that's fine.

Dave

*David Robinson*

**Sr. Project Mgr. / Safety Officer**

**WESTON Solutions, Inc.**

1435 Garrison St., #100

Lakewood, CO 80215

O: 303-729-6181

C: 937-572-3630

[www.westonsolutions.com](http://www.westonsolutions.com)

**From:** Way, Steven [<mailto:way.steven@epa.gov>]

**Sent:** Friday, September 11, 2015 2:59 PM

**To:** Robinson, David <[David.Robinson@WestonSolutions.com](mailto:David.Robinson@WestonSolutions.com)>

**Cc:** Petri, Elliott <[Elliott.Petri@WestonSolutions.com](mailto:Elliott.Petri@WestonSolutions.com)>; Myers, Craig <[Myers.Craig@epa.gov](mailto:Myers.Craig@epa.gov)>

**Subject:** Ehat Consulting - Engineering / Safety Evalu

David,

Do we have capacity remaining in the subcontract with Rick Ehat. Regardless, I am requesting an onsite evaluation by Rick or an equivalently qualified PE to inspect our retention ponds at Gladstone and inlet structure conceptual design / plans for the GK mine water HDPE pipe.

This will be needed as soon as possible.

Please let me know – thank you.

Steve

Steven Way

Federal On-Scene Coordinator

Emergency Response Unit

US EPA - Region 8

1595 Wynkoop Street

Denver, CO 80202

Office: 303-312-6723

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.